

PART II

INDEX OF PAPERS BY AUTHOR(S)

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Abrahamson, C.	Efficiency and Mass Loading Characteristics of a Typical HEPA Filter Media Material	21-0782
Adams, D. G.	Unit Vent Airflow Measurements Using a Tracer Gas Technique	24-0147
Ahmad, J.	A Thick Homogeneous Vegetated Cover Design Proves Cost- and Schedule-Effective for the Reclamation of Uranium Mill Sites near Spokane, Washington	24-0118
Alper, N.	AP600 Containment Purge Radiological Analysis	23-0454
Alsmeyer, H.	Beta Experiments on Aerosol Release During Melt-Concrete Interaction and Filtering of the Off-Gas	22-0415
Amend, J.	Iodine-129 Distribution and Retention During Evaporation of MWL Solutions	21-0234
Anand, N. K.	Aerosol Particle Losses in Sampling Systems	22-0310
Anand, N. K.	Aerosol Deposition In Bends with Turbulent Flow	24-0441
Andersen, C. M.	LFCM Processing Characteristics of Mercury	21-0442
Anderson, R.	Chronic Inhalation Studies of Man-Made Vitreous Fibers	22-0191
Anderson, W. L.	Criteria for Calculating the Efficiency of HEPA Filters During and After Design Basis Accidents	23-0563
Anwar, S.	Numerical Analysis of a Natural Convection Cooling System for Radioactive Canisters Storage	23-0128
Appelgren, E.	Impact of the Filtered Venting System Design Upon the Total Radioactive Release in Case of a Severe Accident and a Comparison of European Requirements	21-0933
Arai, K.	Experimental Study on the Volatile Ruthenium Decontamination Factor of the Perforated Plate Column Scrubber	22-0244
Arganbright, R.	Development of an Air Cleaning System for Dissolving High Explosives from Nuclear War Heads	24-0089
Arndt, T. E.	Evaluation of Self-Contained HEPA Filter	23-0054
Arndt, T. E.	An Example of a Component Replacement when Applying ASME N509 and ASME N510 to Older Ventilation Systems	23-0093
Ashton, C.	Ductwork Section (SA) Improvements	22-0488
Bailey, W. H.	Bar Coded Air Sample Tracking: How It Can Assist in Compliance with the DOE's New 10 CFR 835 and the NRC's 10 CFR 20 Regulation	23-0670

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Ball, J. M.	The Retention of Iodine in Stainless Steel Sample Lines	23-0279
Banks, E. M.	Halide Test Agent Replacement Study	23-0313
Banks, E. M.	Comparison of Emery 3004 and 3006 Characteristics with DOP for Possible Use in HEPA Filter Leak Tests	23-0758
Banks, E. M.	Practical Experience Applied to the Design of Injection and Sample Manifolds to Perform In-Place Surveillance Tests According to ANSI/ASME N-510	24-0132
Banks, E. M.	Accuracy Improvement in Leak Detection of Charcoal Adsorbers by Halide Pulse Integration Method	24-0176
Banks, E. M.	Method for HEPA Filter Leak Scanning with Differentiating Aerosol Detector	24-0671
Banton, S.	Section TA Acceptance Testing, Draft Revision 03/06/96	24-0203
Banton, S.	ASME N511-19xx, Standard for Periodic In-Service Testing of Nuclear Air Treatment, Heating, Ventilation and Air Conditioning Systems, Draft Revision	24-0264
Banton, S. G.	Field Testing of Nuclear Air Treatment and Gas Processing Systems	21-0193
Barnett, J. M.	Potential Radionuclide Emissions from Stacks on the Hanford Site, Part 2: Dose Assessment Methodology Using Portable Low-Resolution Gamma Spectroscopy	23-0269
Barnett, J. M.	Potential Radionuclide Emissions from Stacks on the Hanford Site, Part 1: Dose Assessment	23-0498
Bartlett, W. T.	The Influence of Salt Aerosol on Alpha Radiation Detection by WIPP Continuous Air Monitors	24-0188
Bayne, P.	The Nuclear Industry's Plan to Achieve New Nuclear Power Plant Orders in the 1990's	22-0018
Beason, D.	Preliminary Studies to Determine the Shelf Life of HEPA Filters	23-0613
Beason, D.	Development of an Air Cleaning System for Dissolving High Explosives from Nuclear War Heads	24-0089
Beckman, R. J.	Uncertainty In-Place Filter Test Results	24-0676
Bellamy, R. R.	US NRC Regulatory Guidance for Engineered Safety Feature Air Cleaning Systems	21-0626
Bellamy, R. R.	Air Cleaning Issues with Contaminated Sites	24-0012

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Bellamy, R. R.	International Panel Reports on Nuclear Air and Gas Cleaning Activities from Around the World	24-0380
Berglund, R. C.	GE's Advanced Nuclear Reactor Designs	22-0043
Bergman, W.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
Bergman, W.	Development and Evaluation of a HEPA Filter for Increased Strength and Resistance to Elevated Temperature	22-0617
Bergman, W.	Survey of Life-Cycle Costs of Glass-Paper HEPA Filters	22-0849
Bergman, W.	High Efficiency Steel Filters for Nuclear Air Cleaning	21-0733
Bergman, W.	Preliminary Field Evaluation of High Efficiency Steel Filters	23-0195
Bergman, W.	Performance of HEPA Filters at LLNL Following the 1980 and 1989 Earthquakes	23-0425
Bergman, W.	Criteria for Calculating the Efficiency of HEPA Filters During and After Design Basis Accidents	23-0563
Bergman, W.	Preliminary Studies to Determine the Shelf Life of HEPA Filters	23-0613
Bergman, W.	Degradation of HEPA Filters Exposed to DMSO	23-0695
Bergman, W.	Development of an Air Cleaning System for Dissolving High Explosives from Nuclear War Heads	24-0089
Bergman, W.	Filtration Theory Using Computer Simulations	24-0485
Bergman, W.	In-Place HEPA Filter Efficiency Tests	24-0649
Bergman, W.	Further Development of the Cleanable Steel HEPA Filter and Comparison with Competing Technologies	24-0708
Bergman, W.	Potential for HEPA Filter Damage from Water Spray Systems in Filter Plenums	24-0752
Bernstein, H. J.	A Real-Time Stack Radioactivity Monitoring System and Dose Projection Program	23-0259
Besserer, U.	Treatment of Tritiated Exhaust Gases at the Tritium Laboratory Karlsruhe	23-0365
Beyer, Ch.	Minimizing of Iodine-129 Release in the Karlsruhe Reprocessing Plant WAK	22-0075
Beyer, Ch.	Removal Efficiency of Silver Impregnated Filter Materials and Performance of Iodine Filters in the Off-Gases of the Karlsruhe Reprocessing Plant Wak	24-0609

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Biermann, A.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
Billarand, Y.	Study on Collecting Efficiency of Fission Products by Spray: Experimental Device and Modelling	24-0500
Birdwell, J. F.	Iodine and NO _x Behavior in the Dissolver Off-Gas and Iodex Systems in the Oak Ridge National Laboratory Integrated Equipment Test Facility	21-0271
Blacklaw, J.	A Thick Homogeneous Vegetated Cover Design Proves Cost- and Schedule-Effective for the Reclamation of Uranium Mill Sites near Spokane, Washington	24-0118
Blacklaw, J. R.	BARCT: A Conservative Approach to Regulating Radionuclide Emissions	22-0233
Bond, J. H.	Extended-Life Nuclear Air Cleaning Filters Via Dynamic Exclusion Prefilters	24-0788
Boorman, C. H.	A Permanently Magnetized High Gradient Magnetic Filter for Glove-Box Cleaning and Increasing HEPA Filter Life	21-0762
Bosley, R. B.	A New Method for In-Situ Filter Testing Using Pulses of Aerosol and Photometric Detection with Computer Control	22-0154
Brain, C.	Experience with Ontario Hydro's In Place Carbon Filter Testing	22-0672
Braun, H.	The Experience with the Effectiveness of Filtering Systems for the Radioactive Fall-Out from the Chernobyl Accident in Germany	22-0393
Braun, H.	CAIRE - A Real-Time Feedback System for Emergency Response	21-0646
Braun, H.	The Link Between Off-Site-Emergency Planning and Plant-Internal Accident Management	23-0509
Braun, H.	Atmospheric Discharges from Nuclear Facilities during Decommissioning: German Experiences and Concepts	24-0460
Brenk, H. D.	CAIRE - A Real-Time Feedback System for Emergency Response	21-0646
Bresson, J. F.	Quality Assurance Requirements for NESHAPS Compliance	21-0352
Bresson, J. F.	A Review of DOE HEPA Filter Component Test Activities: FY-1994	24-0631
Brodde, B. G.	Development of a Process for Adsorptive Separation of KR-85 from the Off-Gas of Nuclear Facilities	21-0299
Brown, J. H.	Control Room Inleakage Testing Using Tracer Gases at Zion Generating Station	22-0830

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Brown, J. H.	Leak Testing of Bubble-Tight Dampers Using Tracer Gas Techniques	23-0391
Buckley, C. P.	The Development and Design of the Off-Gas Treatment System for the Thermal Oxide Reprocessing Plant (THORP) at Sellafield	23-0333
Burbach, T.	Development of a Process for Adsorptive Separation of KR-85 from the Off-Gas of Nuclear Facilities	21-0299
Burns, D. B.	Testing Cleanable/Reusable HEPA Prefilters for Mixed Waste Incinerator Air Pollution Control Systems	24-0076
Burwinkel, P.	Section TA Acceptance Testing, Draft Revision 03/06/96	24-0203
Burwinkel, P.	ASME N511-19xx, Standard for Periodic In-Service Testing of Nuclear Air Treatment, Heating, Ventilation and Air Conditioning Systems, Draft Revision	24-0264
Campbell, R. R.	Basis for and Practical Methods of Controlling Painting Activities at the Sequoyah Nuclear Plant	24-0534
Cannito, F. J.	AG-1 Division IV, Section TB: Field Testing of Gas Processing Systems	21-0198
Capon, S.	Development of Filter Systems - Part 2, Injection Systems and Multi-Point Sampler Evaluation	21-0139
Carlton, H. R.	An Update: DOP Replacement in Testing Machines for Filters and Respirators	22-0146
Carlton, H. R.	Safe Replacement Materials for DOP in "Hot Smoke" Aerosol Penetrometer Machines	21-0126
Carlton, H. R.	New Performance Data for "Emery 3002" and "Emery 3004," Two Army-Approved Safe Materials to Replace DOP in Mask and Filter Testing	23-0743
Carter, J. T.	Measurement of Cesium Emissions During the Vitrification of Simulated High Level Radioactive Waste	22-0253
Cassette, Ph.	New Injection System for a Short Mixing of Test Aerosols and Gas Tracers Inside Ventilation Ducts	21-0080
Castellani, F.	Activated Charcoal Beds for Passive Mitigation of the Radioactivity Release from Severe Accidents. Heat Transport and Dynamic Noble-Gas Water-Vapour Coadsorption	22-0428
Cederqvist, H.	Impact of the Filtered Venting System Design Upon the Total Radioactive Release in Case of a Severe Accident and a Comparison of European Requirements	21-0933

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Cederqvist, H.	A Short Overview of the Programs in Sweden	21-0980
Chang, S. D.	Demonstration of Carbon-14 Removal at Candu Nuclear Generating Stations	21-0530
Changzhuo, Ye	New Type Adsorbent Material of Impregnated Activated Carbon Fibers for Iodine Filter	21-0545
Charuau, J.	Experimental Study on the Particles Deposition in the Sampling Duct	23-0539
Cheh, C. H.	Demonstration of Carbon-14 Removal at Candu Nuclear Generating Stations	21-0530
Cheh, C. H.	Nuclear Air Cleaning R&D Programs in Canada	21-0971
Chen, W. W.	Heating, Ventilating, and Air Conditioning Deactivation Thermal Analysis of Purex Plant	24-0471
Chen, X.	An Introduction to the Design, Commissioning, and Operation of Nuclear Air Cleaning Systems for Qinshan Nuclear Power Plant	23-0439
Christian, J. D.	Behavior and Control of Ruthenium During Operation of the New Waste Calcining Facility at the Idaho Chemical Processing Plant	21-0467
Claybrook, S.	Development of a Personal Computer Code for Fire Protection Analysis of DOE Facility Air Cleaning Systems	22-0875
Coleman, J. A.	DOE Waste Management Program-Current and Future	22-0716
Congel, F. J.	Severe Accident Issues for Advanced Reactors	22-0034
Congel, F. J.	Air Cleaning Requirements for Evolutionary and Advanced Reactors	21-0016
Conklin, A.	BARCT: A Conservative Approach to Regulating Radionuclide Emissions	22-0233
Conner, J.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
Conner, J.	High Efficiency Steel Filters for Nuclear Air Cleaning	21-0733
Corey, I.	Filtration Theory Using Computer Simulations	24-0485
Costigan, G.	Development of the Quickmix Injector for In-Situ Filter Testing	22-0163
Costigan, G.	Performance of HEPA Filters Under Hot Dynamic Conditions	23-0601
Counce, R. M.	Diffusional Analysis of the Adsorption of Methyl Iodide on Silver Exchanged Mordenite	24-0576

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Crosby, D. W.	Aerosol Concentrations Produced by a Laskin Nozzle Generator a Comparison of Substitute Materials and DOP	21-0109
Crouch, H. S.	Extended-Life Nuclear Air Cleaning Filters Via Dynamic Exclusion Prefilters	24-0788
Curzio, G.	Activated Charcoal Beds for Passive Mitigation of the Radioactivity Release from Severe Accidents. Heat Transport and Dynamic Noble-Gas Water-Vapour Coadsorption	22-0428
d'Errico, F.	Activated Charcoal Beds for Passive Mitigation of the Radioactivity Release from Severe Accidents. Heat Transport and Dynamic Noble-Gas Water-Vapour Coadsorption	22-0428
Daling, P. M.	Value-Impact Assessment for Resolution of Generic Safety Issue 143 - Availability of HVAC and Chilled Water Systems	23-0380
Dalpiaz, E. L.	Development of a Computer Code to Predict a Ventilation Requirement for an Underground Radioactive Waste Storage Tank	24-0065
Davis, M. L.	Radial Flow Systems for the Nuclear Industry	22-0527
Davis, W. E.	Potential Radionuclide Emissions from Stacks on the Hanford Site, Part 1: Dose Assessment	23-0498
de Planque, E. G.	Changes to Licensing for U.S. Nuclear Power Plants	22-0341
de Witt, H.	CAIRE - A Real-Time Feedback System for Emergency Response	21-0646
Deaton, K.	Challenges of Equipment Qualification Using Today's Standards with Emphasis on a Class IE Motor Program	23-0034
Deir, C.	The Retention of Iodine in Stainless Steel Sample Lines	23-0279
Denniss, I. S.	The Development of Corona Discharge for Iodine Removal from Nuclear Fuel Reprocessing Plant Off-Gases	22-0102
Deuber, H.	Technical Scale Iodine Expulsion from the Dissolver Solution and Balance Striking for Liquid and Gaseous Iodine Fractions	21-0247
Dierkschiede, B.	Efficiency and Mass Loading Characteristics of a Typical HEPA Filter Media Material	21-0782
Dillman, H. G.	A Low Pressure Filter System for New Containment Concepts	23-0478
Dillmann, H. G.	Beta Experiments on Aerosol Release During Melt-Concrete Interaction and Filtering of the Off-Gas	22-0415
Dillmann, H. G.	Investigations into the Design of a Filter System for PWR Containment Venting	21-0898

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Doffert, I.	The Application of HEPA Filter Units in Gas Streams of High Dust Concentrations	22-0540
Dorman, R. G.	High Efficiency and Ultra Low Penetration Aerosol Filter Test Programs by the European Community Countries	22-0324
Doughty, S.	Development of an Air Cleaning System for Dissolving High Explosives from Nuclear War Heads	24-0089
Drace, Z.	Modern Technology Tools for Improvement of NPP Reliability-Case Study of NPP Filtration Systems Validation	22-0808
DuBois, L. J.	Control Room Inleakage Testing Using Tracer Gases at Zion Generating Station	22-0830
DuBois, L. J.	Leak Testing of Bubble-Tight Dampers Using Tracer Gas Techniques	23-0391
Ducret, D.	Experimental Study of Elementary Collection Efficiency of Aerosols by Spray: Design of the Experimental Device	23-0682
Ducret, D.	Study on Collecting Efficiency of Fission Products by Spray: Experimental Device and Modelling	24-0500
Dunbar, Jr., A. E.	Progress Report on the In-Place Acceptance Tests of Walk-In Plenum Filter Housings with Close Couple Redundant Series Filters	21-0360
DuPoux, N.	New Injection System for a Short Mixing of Test Aerosols and Gas Tracers Inside Ventilation Ducts	21-0080
Duvall, K.	Radionuclide Air Emissions at Department of Energy Facilities	23-0233
Dykes, M.	Standardized Methods for In-Place Filter Testing	24-0386
Dyment, J.	The Development of a HEPA Filter with Improved Dust Holding Characteristics	23-0176
Dyment, J.	The Effect of Media Area on the Dust Holding Capacity of Deep Pleat HEPA Filters	24-0743
Dyment, J.	Performance Testing of HEPA Filters: Progress Towards a European Standard Procedure	24-0819
Dyment, J.	International Panel Reports on Nuclear Air and Gas Cleaning Activities from Around the World	24-0380
Eckardt, B.	Direct Post-Accident Sampling System for Containment Atmospheres (DI-PAS System)	22-0283
Eckardt, B.	Containment Venting Sliding Pressure Venting Process for PWR and BWR Plants - Process Design and Test Results	21-0876

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Edling, D.	Validation Testing of Radioactive Waste Drum Filter Vents	24-0683
Edwards, J. R.	The Difficulty of Testing Non-509 Systems to the N510 Standard	21-0318
Edwards, J. R.	Progress Report on the In-Place Acceptance Tests of Walk-In Plenum Filter Housings with Close Couple Redundant Series Filters	21-0360
Elisson, K.	Impact of the Filtered Venting System Design Upon the Total Radioactive Release in Case of a Severe Accident and a Comparison of European Requirements	21-0933
Elliot, J.	In-Place HEPA Filter Efficiency Tests	24-0649
Elliott, J.	Performance of HEPA Filters at LLNL Following the 1980 and 1989 Earthquakes	23-0425
Enneking, J. C.	A Study of the Effect of Coatings Operation on Radioiodine Removing Adsorbents	21-0563
Epperson, S. A.	Confirmation of Automatic Flow Control for a Gaseous Effluent Sampling System (U)	21-0415
Evans, G. J.	Photochemical Removal of Radioactive Iodine from Air	21-0376
Evans, G. J.	The Retention of Iodine in Stainless Steel Sample Lines	23-0279
Evans, J. S.	Radiological Health Effects Models for Nuclear Power Plant Accident Consequence Analysis -- An Update (1990)	21-0057
Fairchild, C. I.	Single Point Aerosol Sampling: Evaluation of Mixing and Probe Performance in a Nuclear Stack	23-0217
Fan, B. J.	Aerosol Particle Losses in Sampling Systems	22-0310
Fang, D.	Minimizing of Iodine-129 Release in the Karlsruhe Reprocessing Plant WAK	22-0075
Fang, D.	Retention and Measurement of Iodine-129 and of Organoiodine in the Off-Gas Streams of the Karlsruhe Reprocessing Plant WAK	21-0222
Farajian, T.	Post-Accident Air Leakage Analysis in a Nuclear Facility via T-Method Airflow Simulation	22-0374
Farrar, C. R.	Aerosol Penetration Through a Seismically Loaded Shear Wall	22-0402
Fies, H.	Retention and Measurement of Iodine-129 and of Organoiodine in the Off-Gas Streams of the Karlsruhe Reprocessing Plant WAK	21-0222
Finsterwalder, L.	Minimizing of Iodine-129 Release in the Karlsruhe Reprocessing Plant WAK	22-0075

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
First, M. W.	Characteristics of Laskin Nozzle Generated Aerosols	21-0116
First, M. W.	Welcome and Objectives of the Conference	22-0003
First, M. W.	Welcome and Objectives of the Conference	21-0002
First, M. W.	A Brief History of the Air Cleaning Conferences	23-0003
First, M. W.	Criteria for Calculating the Efficiency of HEPA Filters During and After Design Basis Accidents	23-0563
First, M. W.	Opening Comments of Chairman and Greetings from Sponsors	24-0002
Fleming, K. M.	Replacement Tracer Agent for the In-Place Leak Testing of Adsorbers in NATS	22-0698
Fleming, K. M.	Control Room Inleakage Testing Using Tracer Gases at Zion Generating Station	22-0830
Fleming, K. M.	Leak Testing of Bubble-Tight Dampers Using Tracer Gas Techniques	23-0391
Fleming, K. M.	Unit Vent Airflow Measurements Using a Tracer Gas Technique	24-0147
Fordham, E.	A Thick Homogeneous Vegetated Cover Design Proves Cost- and Schedule-Effective for the Reclamation of Uranium Mill Sites near Spokane, Washington	24-0118
Fox-Williams, K.	BARCT: A Conservative Approach to Regulating Radionuclide Emissions	22-0233
Franklin, B.	Panel Session: Changes to ASME Code AG-1, Section FC, HEPA Filters	24-0850
Frankum, D. P.	Performance of HEPA Filters Under Hot Dynamic Conditions	23-0601
Freeman, W. P.	Testing of Adsorbents Used in Nuclear Power Plant Air Cleaning Systems Using the "New" Standards	22-0661
Freeman, W. P.	A Study of the Effect of Coatings Operation on Radioiodine Removing Adsorbents	21-0563
Freeman, W. P.	An Evaluation of Efforts by Nuclear Power Plants to Use ASTM D3803-89	23-0078
Freeman, W. P.	Halide Test Agent Replacement Study	23-0313
Freeman, W. P.	Characterization and Restoration of Performance of "Aged" Radioiodine Removing Activated Carbons	24-0520
Fretthold, J. K.	Development and Evaluation of a HEPA Filter for Increased Strength and Resistance to Elevated Temperature	22-0617

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Fretthold, J. K.	Preliminary Studies to Determine the Shelf Life of HEPA Filters	23-0613
Fretthold, J. K.	Proposed Retrofit of HEPA Plenums with Injection and Sampling Manifolds for In-Place Filter Testing	23-0721
Fretthold, J. K.	Standardized Methods for In-Place Filter Testing	24-0386
Fretthold, J. K.	Potential for HEPA Filter Damage from Water Spray Systems in Filter Plenums	24-0752
Friedrich, V.	Kinetic Modelling of the Purging of Activated Carbon After Short Term Methyl Iodide Loading	21-0662
Friedrich, V.	Nuclear Air Cleaning Programs in Hungary	21-0986
Friley, J. R.	Value-Impact Assessment for Resolution of Generic Safety Issue 143 - Availability of HVAC and Chilled Water Systems	23-0380
Fronhofer, M.	Challenges Within Ventilation Systems During Accident Situations	22-0510
Fronhofer, M.	The Application of HEPA Filter Units in Gas Streams of High Dust Concentrations	22-0540
Frye, L.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
Frye, L.	Preliminary Field Evaluation of High Efficiency Steel Filters	23-0195
Fujimori, K.	Design and Characteristics of Annulus Ventilation and HVAC System for Prototype FBR MONJU	22-0791
Fujine, S.	Simulation Test of Aerosol Generation from Vessels in the Pretreatment System of Fuel Reprocessing	24-0778
Fukasawa, M.	Experimental Study on Aerosol Removal Effect by Pool Scrubbing	22-0453
Fukasawa, M.	Experimental Study on Aerosol Removal Efficiency for Pool Scrubbing Under High Temperature Steam Atmosphere	21-0918
Fukasawa, T.	Removal of Iodine-129 from Dissolver Off-Gas of Reprocessing Plant by Silver Impregnated Adsorbents	22-0118
Fukasawa, T.	Removal Characteristics of Some Organic Iodine Forms by Silver Impregnated Adsorbents	21-0594
Fukasawa, T.	Development of Silver Impregnated Alumina for Iodine Separation from Off-Gas Streams	23-0352
Fukasawa, T.	Influences of Impurities on Iodine Removal Efficiency of Silver Alumina Adsorbent	24-0563

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Fukasawa, T.	International Panel Reports on Nuclear Air and Gas Cleaning Activities from Around the World	24-0380
Funabashi, K.	Development of Silver Impregnated Alumina for Iodine Separation from Off-Gas Streams	23-0352
Funabashi, K.	Influences of Impurities on Iodine Removal Efficiency of Silver Alumina Adsorbent	24-0563
Furrer, J.	Iodine Stripping from Nitric Solutions in IATEMA	22-0091
Furrer, J.	Removal of Iodine-129 from Dissolver Off-Gas of Reprocessing Plant by Silver Impregnated Adsorbents	22-0118
Furrer, J.	Behavior of the Loaded Polygonal HEPA Filter Exposed to Water Droplets Carried by the Off-Gas Flow	22-0534
Furrer, J.	Iodine-129 Distribution and Retention During Evaporation of MWL Solutions	21-0234
Furrer, J.	Technical Scale Iodine Expulsion from the Dissolver Solution and Balance Striking for Liquid and Gaseous Iodine Fractions	21-0247
Furrer, J.	Minimizing of Iodine-129 Release in the Karlsruhe Reprocessing Plant WAK	22-0075
Furrer, J.	Removal Efficiency of Silver Impregnated Filter Materials and Performance of Iodine Filters in the Off-Gases of the Karlsruhe Reprocessing Plant Wak	24-0609
Furrer, J.	Control of Radio-Iodine at the German Reprocessing Plant Wak During Operation and After Shut Down	24-0618
Garr, J.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
Gellner, C.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
Ghosh, D.	Effects on the Efficiency of Activated Carbon on Exposure to Welding Fumes	23-0639
Gilbert, H.	Development and Evaluation of a HEPA Filter for Increased Strength and Resistance to Elevated Temperature	22-0617
Gilbert, H.	Survey of Life-Cycle Costs of Glass-Paper HEPA Filters	22-0849
Gilbert, H.	Criteria for Calculating the Efficiency of HEPA Filters During and After Design Basis Accidents	23-0563

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Gilbert, H.	Preliminary Studies to Determine the Shelf Life of HEPA Filters	23-0613
Gill, C. F.	Response of NRC Region III to Perceived Lack of Filter Testing Expertise Concerns	22-0762
Girrens, S. P.	Aerosol Penetration Through a Seismically Loaded Shear Wall	22-0402
Glissmeyer, J. A.	Guide to Sampling Airborne Radioactive Materials in Nuclear Facilities	23-0250
Goldsmith, A. L.	The Development of Corona Discharge for Iodine Removal from Nuclear Fuel Reprocessing Plant Off-Gases	22-0102
Goles, R. W.	LFCM Processing Characteristics of Mercury	21-0442
Gong, H.	Aerosol Deposition In Bends with Turbulent Flow	24-0441
Goodchild, P. J.	The Effects of Temperature on HEPA Filter Media	22-0327
Goossens, W. R. A.	Global Change and the Practice for Airborne Waste Treatment	22-0004
Goossens, W. R. A.	The Actual Practice of Air Cleaning in Belgian Nuclear Facilities	23-0432
Gortz, R.	The Link Between Off-Site-Emergency Planning and Plant-Internal Accident Management	23-0509
Gortz, R.	Atmospheric Discharges from Nuclear Facilities during Decommissioning: German Experiences and Concepts	24-0460
Goumondy, J. P.	Elimination of Iodine from Radioactive Gaseous Effluents in a Packed Column	21-0259
Graves, C.	Section TA Acceptance Testing, Draft Revision 03/06/96	24-0203
Graves, C.	ASME N511-19xx, Standard for Periodic In-Service Testing of Nuclear Air Treatment, Heating, Ventilation and Air Conditioning Systems, Draft Revision	24-0264
Green, M. R.	European Community Nuclear Codes and Standards	21-0212
Gregonis, R. A.	Heating, Ventilating, and Air Conditioning Deactivation Thermal Analysis of Purex Plant	24-0471
Gregory, W. S.	Development of a Personal Computer Code for Fire Protection Analysis of DOE Facility Air Cleaning Systems	22-0875
Gregory, W. S.	Investigation of Salt Loaded HEPA Filters	21-0366
Gregory, W. S.	Pool Fires in a Large Scale Ventilation System	21-0844

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Grewal, G.	Post-Accident Air Leakage Analysis in a Nuclear Facility via T-Method Airflow Simulation	22-0374
Grewal, G.	Application of High-Efficiency Metal Fiber Filters in Ventilation Systems of Non-Reactor Nuclear Facilities	22-0574
Grot, R. A.	Control Room Envelope Unfiltered Air Inleakage Test Protocols	24-0400
Gue, J. P.	Behavior of Ruthenium in the Case of Shutdown of the Cooling System of HLLW Storage Tanks	21-0831
Guelta, M. A.	An Update: DOP Replacement in Testing Machines for Filters and Respirators	22-0146
Guelta, M. A.	Safe Replacement Materials for DOP in "Hot Smoke" Aerosol Penetrometer Machines	21-0126
Guelta, M. A.	New Performance Data for "Emery 3002" and "Emery 3004," Two Army-Approved Safe Materials to Replace DOP in Mask and Filter Testing	23-0743
Guest, A.	Experience with Ontario Hydro's In Place Carbon Filter Testing	22-0672
Hakii, J.	Experimental Study on Aerosol Removal Efficiency for Pool Scrubbing Under High Temperature Steam Atmosphere	21-0918
Hall, G. R.	Adaptation of Nuclear Filtration Technology to the Demilitarization of Chemical Weapons	21-0419
Hamblin, C.	The Effects of Temperature on HEPA Filter Media	22-0327
Hamblin, C.	The Development of a HEPA Filter with Improved Dust Holding Characteristics	23-0176
Handyside, I.	Developments in the Area of Regulatory Matters in the UK	21-0977
Harty, W. M.	Application of High-Efficiency Metal Fiber Filters in Ventilation Systems of Non-Reactor Nuclear Facilities	22-0574
Hasegawa, M.	Development of Computer Design System for HVAC System	22-0781
Hasegawa, M.	Design and Characteristics of Annulus Ventilation and HVAC System for Prototype FBR MONJU	22-0791
Hayes, T. W.	Heater Selection Criteria for Engineered Safety Features Atmosphere Filtration Systems	22-0820
Hayes, Jr., J. J.	Changes in Adsorber Testing as a Result of NRC Generic Information	21-0607

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Hayes, Jr., J. J.	Panel Session: Changes to ASME Code AG-1, Section FC, HEPA Filters	24-0850
Hedley, W. H.	Tritium Emissions Reduction Facility (TERF)	22-0065
Heffley, K. W.	Progress Report on the In-Place Acceptance Tests of Walk-In Plenum Filter Housings with Close Couple Redundant Series Filters	21-0360
Hensel, E.	Development of a Personal Computer Code for Fire Protection Analysis of DOE Facility Air Cleaning Systems	22-0875
Hensel, E. C.	Structural Testing of Salt Loaded HEPA Filters for WIPP	22-0262
Hensel, E. C.	Investigation of Salt Loaded HEPA Filters	21-0366
Herrmann, B.	Minimizing of Iodine-129 Release in the Karlsruhe Reprocessing Plant WAK	22-0075
Herrmann, B.	Retention and Measurement of Iodine-129 and of Organoiodine in the Off-Gas Streams of the Karlsruhe Reprocessing Plant WAK	21-0222
Herrmann, B.	Removal Efficiency of Silver Impregnated Filter Materials and Performance of Iodine Filters in the Off-Gases of the Karlsruhe Reprocessing Plant WAK	24-0609
Herrmann, B.	Control of Radio-Iodine at the German Reprocessing Plant WAK During Operation and After Shut Down	24-0618
Herrmann, F. J.	Minimizing of Iodine-129 Release in the Karlsruhe Reprocessing Plant WAK	22-0075
Herrmann, F. J.	Removal of Iodine-129 from Dissolver Off-Gas of Reprocessing Plant by Silver Impregnated Adsorbents	22-0118
Herrmann, F. J.	Retention and Measurement of Iodine-129 and of Organoiodine in the Off-Gas Streams of the Karlsruhe Reprocessing Plant WAK	21-0222
Herrmann, F. J.	Iodine-129 Distribution and Retention During Evaporation of MWL Solutions	21-0234
Herrmann, F. J.	Removal Efficiency of Silver Impregnated Filter Materials and Performance of Iodine Filters in the Off-Gases of the Karlsruhe Reprocessing Plant WAK	24-0609
Herrmann, F. J.	Control of Radio-Iodine at the German Reprocessing Plant WAK During Operation and After Shut Down	24-0618
Hesterberg, T.	Chronic Inhalation Studies of Man-Made Vitreous Fibers	22-0191

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Higgins, P. J.	Efficiency and Mass Loading Characteristics of a Typical HEPA Filter Media Material	21-0782
Hilley, Jr., J. R.	Design Basis Documentation for the Control Room Ventilation/Chilled Water System at McGuire Nuclear Station	21-0526
Hirao, K.	Optimization of Air Ducts for Nuclear Reactor Power Generation Station	21-0695
Hirose, Y.	Removal of Iodine-129 from Dissolver Off-Gas of Reprocessing Plant by Silver Impregnated Adsorbents	22-0118
Hirose, Y.	Removal Characteristics of Some Organic Iodine Forms by Silver Impregnated Adsorbents	21-0594
Hirose, Y.	Air Cleaning Programs Relating to the First Japanese Commercial Reprocessing Plant	21-0984
Hobart, S. A.	AG-1 Division IV, Section TB: Field Testing of Gas Processing Systems	21-0198
Hoeflich, V.	Removal Efficiency of Silver Impregnated Filter Materials and Performance of Iodine Filters in the Off-Gases of the Karlsruhe Reprocessing Plant Wak	24-0609
Holman, D.	United Kingdom Atomic Energy Authority Programs	21-0975
Holt, N. S.	The Development of Corona Discharge for Iodine Removal from Nuclear Fuel Reprocessing Plant Off-Gases	22-0102
Holtorp, J.	Experience with Ontario Hydro's In Place Carbon Filter Testing	22-0672
Hubner, R. S.	Revised Accident Source Terms and Control Room Habitability	22-0742
Hudson, P. I.	The Development and Design of the Off-Gas Treatment System for the Thermal Oxide Reprocessing Plant (THORP) at Sellafield	23-0333
Huijian, Zhu	New Type Adsorbent Material of Impregnated Activated Carbon Fibers for Iodine Filter	21-0545
Hull, A. P.	A Real-Time Stack Radioactivity Monitoring System and Dose Projection Program	23-0259
Hunt, J. R.	Replacement Tracer Agent for the In-Place Leak Testing of Adsorbents in NATS	22-0698
Hutter, E.	Treatment of Tritiated Exhaust Gases at the Tritium Laboratory Karlsruhe	23-0365

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Hyder, M. L.	Proposed Source Term Revisions Potential Impact on Future Nuclear Air Cleaning Requirements, Applications to DOE Production Reactor Operation	22-0736
Hyder, M. L.	Factors Affecting the Retention of Methyl Iodide by Iodide-Impregnated Carbon	21-0583
Hyder, M. L.	Nuclear Air Cleaning Program in USA	21-0969
Ikeda, M.	Design and Characteristics of Annulus Ventilation and HVAC System for Prototype FBR MONJU	22-0791
Ishikawa, N.	A Study on the Expulsion of Iodine from Spent-Fuel Solutions	23-0321
Jacox, J.	A Review of Gas Phase Filtration Standards and their Applicability to Nuclear Applications	22-0215
Jacox, J.	Integrating Industry Nuclear Codes and Standards into United States Department of Energy Facilities	23-0098
Jacox, J.	Gas Processing at DOE Nuclear Facilities	23-0301
Jacox, J.	The First Twenty Years of the ASME Committee on Nuclear Air and Gas Treatment- A Retrospective by a Founding Member	24-0807
Jacox, J. W.	A Review of the History, Revisions and Interrelationships of ANSI/ASME N509 and N510, 1989 Editions	21-0320
Jacqmin, G.	Treatment of Tritiated Exhaust Gases at the Tritium Laboratory Karlsruhe	23-0365
Jannakos, K.	Iodine Stripping from Nitric Solutions in IATEMA	22-0091
Jannakos, K.	Behavior of the Loaded Polygonal HEPA Filter Exposed to Water Droplets Carried by the Off-Gas Flow	22-0534
Jannakos, K.	Technical Scale Iodine Expulsion from the Dissolver Solution and Balance Striking for Liquid and Gaseous Iodine Fractions	21-0247
Jannakos, K.	Behavior of the Polygonal HEPA Filter Exposed to Water Droplets Carried by the Offgas Flow	21-0772
Jarv, T.	Experience with Ontario Hydro's In Place Carbon Filter Testing	22-0672
Johnson, J. S.	Field Measurement of the Performance of Air Cleaning Systems to Simulated Worst Case Chemical Accidents Using the Lawrence Livermore National Laboratory S-3 Facility at the Nevada Test Site	21-0435
Johnson, W. J.	Revised Accident Source Terms and Control Room Habitability	22-0742

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Jubin, R. T.	Diffusional Analysis of the Adsorption of Methyl Iodide on Silver Exchanged Mordenite	24-0576
Junyue, Ling	New Type Adsorbent Material of Impregnated Activated Carbon Fibers for Iodine Filter	21-0545
Kaempffer, R.	Iodine Stripping from Nitric Solutions in IATEMA	22-0091
Kaempffer, R.	Technical Scale Iodine Expulsion from the Dissolver Solution and Balance Striking for Liquid and Gaseous Iodine Fractions	21-0247
Kaercher, M.	Design of a Prefilter to Improve Radiation Protection and Filtering Efficiency of the Containment Venting System	22-0443
Kaercher, M.	Design and Full Scale Test of a Sand Bed Filter	21-0946
Kaneko, I.	Experimental Study on Aerosol Removal Effect by Pool Scrubbing	22-0453
Kaneko, I.	Experimental Study on Aerosol Removal Efficiency for Pool Scrubbing Under High Temperature Steam Atmosphere	21-0918
Karhnak, J. M.	EPA Perspective on Radionuclide Aerosol Sampling	23-0241
Kasjaka, M.	AP600 Containment Purge Radiological Analysis	23-0454
Kato, K.	A Study on the Expulsion of Iodine from Spent-Fuel Solutions	23-0321
Kawamura, F.	Development of Silver Impregnated Alumina for Iodine Separation from Off-Gas Streams	23-0352
Kihara, T.	Simulation Test of Aerosol Generation from Vessels in the Pretreatment System of Fuel Reprocessing	24-0778
Kikuchi, M.	Development of Silver Impregnated Alumina for Iodine Separation from Off-Gas Streams	23-0352
Kim, Y. K.	Application of ASME Code AG-1 to YGN 3 & 4 Plants, South Korea	22-0223
Kim, Y. S.	A Systematic Study on the Effectiveness of Mono Alkyl Iodides of Cyclic Diamines as an Impregnant of an Activated Carbon of the Nuclear Grade	21-0394
Kitamura, K.	Simulation Test of Aerosol Generation from Vessels in the Pretreatment System of Fuel Reprocessing	24-0778
Kitamura, M.	Experimental Study on the Volatile Ruthenium Decontamination Factor of the Perforated Plate Column Scrubber	22-0244
Klassen, J. F.	Predicting Mass Loading as a Function of Pressure Difference Across Prefilter/HEPA Filter Systems	22-0554

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Klocke, S.	Panel Session: Changes to ASME Code AG-1, Section FC, HEPA Filters	24-0850
Kluge, V.	Section TA Acceptance Testing, Draft Revision 03/06/96	24-0203
Kluge, V.	ASME N511-19xx, Standard for Periodic In-Service Testing of Nuclear Air Treatment, Heating, Ventilation and Air Conditioning Systems, Draft Revision	24-0264
Knoch, H. W.	Removal of Iodine-129 from Dissolver Off-Gas of Reprocessing Plant by Silver Impregnated Adsorbents	22-0118
Knoch, W.	Minimizing of Iodine-129 Release in the Karlsruhe Reprocessing Plant WAK	22-0075
Knoch, W.	Control of Radio-Iodine at the German Reprocessing Plant Wak During Operation and After Shut Down	24-0618
Kobayashi, Y.	Removal Characteristics of Some Organic Iodine Forms by Silver Impregnated Adsorbents	21-0594
Komaki, Y.	A Study on the Expulsion of Iodine from Spent-Fuel Solutions	23-0321
Komatsu, K.	Behavior of Iodine in the Dissolution of Spent Nuclear Fuels	24-0550
Kondo, Y.	Removal of Iodine-129 from Dissolver Off-Gas of Reprocessing Plant by Silver Impregnated Adsorbents	22-0118
Kondo, Y.	Removal Characteristics of Some Organic Iodine Forms by Silver Impregnated Adsorbents	21-0594
Kondo, Y.	Influences of Impurities on Iodine Removal Efficiency of Silver Alumina Adsorbent	24-0563
Koskelo, M.	Performance Characterization of a New CAM System	22-0299
Kovach, B. J.	Halide Test Agent Replacement Study	23-0313
Kovach, B. J.	Comparison of Emery 3004 and 3006 Characteristics with DOP for Possible Use in HEPA Filter Leak Tests	23-0758
Kovach, B. J.	Accuracy Improvement in Leak Detection of Charcoal Adsorbents by Halide Pulse Integration Method	24-0176
Kovach, B. J.	Method for HEPA Filter Leak Scanning with Differentiating Aerosol Detector	24-0671
Kovach, J. L.	Notes on the Draft NUREG Report Accident Source Terms for Light-Water Nuclear Power Plants	22-0734

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Kovach, J. L.	Parametric Studies of Radioactive Iodine, Hydrogen Iodide and Methyl Iodide Removal	22-0646
Kovach, J. L.	Methyl Iodide Tests on Used Adsorbents	22-0768
Kovach, J. L.	Type II HEPA Filter	21-0410
Kovach, J. L.	Gas Processing in the Nuclear Industry	23-0294
Kovach, J. L.	Residence Time Determination for Adsorbent Beds of Different Configurations	23-0308
Kovach, J. L.	Halide Test Agent Replacement Study	23-0313
Kovach, J. L.	New Challenges to Air/Gas Cleaning Systems	24-0033
Kovacs, G.	Comparison of Emery 3004 and 3006 Characteristics with DOP for Possible Use in HEPA Filter Leak Tests	23-0758
Kramer, C.	Instrument & Controls Section (IA) Improvements	22-0490
Kreiner, H. J.	Measurement System for Alpha and Beta Aerosols with Wide Dynamic Range and Krypton-85 Masking	21-0872
Kress, Thomas	Keynote Address: Nuclear Aerosols: Unfinished Business	24-0005
Kriskovich, J. R.	Application of Nuclear Air Cleaning and Treatment Codes	23-0297
Kuhn, K. D.	Minimizing of Iodine-129 Release in the Karlsruhe Reprocessing Plant WAK	22-0075
Kuhn, K. D.	Control of Radio-Iodine at the German Reprocessing Plant Wak During Operation and After Shut Down	24-0618
Laborde, J. C.	New Injection System for a Short Mixing of Test Aerosols and Gas Tracers Inside Ventilation Ducts	21-0080
Laborde, J. C.	Impacts of the Filter Clogging on the Behaviour of a Ventilation Network in the Event of Fire	21-0815
Laborde, J. C.	Calculation Code Evaluating the Confinement of a Nuclear Facility in Case of Fires	23-0412
Lagus, P. L.	Replacement Tracer Agent for the In-Place Leak Testing of Adsorbers in NATS	22-0698
Lagus, P. L.	Control Room Inleakage Testing Using Tracer Gases at Zion Generating Station	22-0830
Lagus, P. L.	Leak Testing of Bubble-Tight Dampers Using Tracer Gas Techniques	23-0391

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Lagus, P. L.	Unit Vent Airflow Measurements Using a Tracer Gas Technique	24-0147
Lagus, P. L.	Control Room Envelope Unfiltered Air Inleakage Test Protocols	24-0400
Lahti, G. P.	Revised Accident Source Terms and Control Room Habitability	22-0742
Lamberger, P. H.	Tritium Emissions Reduction Facility (TERF)	22-0065
Landon, F. L.	Application of High-Efficiency Metal Fiber Filters in Ventilation Systems of Non-Reactor Nuclear Facilities	22-0574
Lanza, S.	Activated Charcoal Beds for Passive Mitigation of the Radioactivity Release from Severe Accidents. Heat Transport and Dynamic Noble-Gas Water-Vapour Coadsorption	22-0428
Larsen, G.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
Larsen, G.	High Efficiency Steel Filters for Nuclear Air Cleaning	21-0733
Larsen, G.	Preliminary Field Evaluation of High Efficiency Steel Filters	23-0195
Larsen, G.	Degradation of HEPA Filters Exposed to DMSO	23-0695
Larsen, G.	Further Development of the Cleanable Steel HEPA Filter and Comparison with Competing Technologies	24-0708
Lee, J. Y.	Severe Accident Issues for Advanced Reactors	22-0034
Lee, R.	International Panel Reports on Nuclear Air and Gas Cleaning Activities from Around the World	24-0380
Lee, Y. J.	Development of a Computer Code to Predict a Ventilation Requirement for an Underground Radioactive Waste Storage Tank	24-0065
LeGarrec, S.	Experimental Study of Elementary Collection Efficiency of Aerosols by Spray: Design of the Experimental Device	23-0682
Legner, W.	Behavior of the Polygonal HEPA Filter Exposed to Water Droplets Carried by the Offgas Flow	21-0772
Leiber, T.	The Application of HEPA Filter Units in Gas Streams of High Dust Concentrations	22-0540
Leibold, H.	The Application of HEPA Filter Units in Gas Streams of High Dust Concentrations	22-0540
Leibold, H.	Steps Towards the Minimization of Particulate Emissions From a Low-Level Waste Incineration Facility	21-0510

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Leinonen, P. J.	Demonstration of Carbon-14 Removal at Candu Nuclear Generating Stations	21-0530
LeMay, J.	Degradation of HEPA Filters Exposed to DMSO	23-0695
Leonard, J. F.	HEPA Filter Concerns - An Overview	23-0150
Leonard, L.	Section TA Acceptance Testing, Draft Revision 03/06/96	24-0203
Leonard, L.	ASME N511-19xx, Standard for Periodic In-Service Testing of Nuclear Air Treatment, Heating, Ventilation and Air Conditioning Systems, Draft Revision	24-0264
Leslie, I. H.	Structural Testing of Salt Loaded HEPA Filters for WIPP	22-0262
Leslie, L. H.	Investigation of Salt Loaded HEPA Filters	21-0366
Leslie, L. H.	Pool Fires in a Large Scale Ventilation System	21-0844
Letourneau, P.	Aerosol Penetration Inside HEPA Filtration Media	21-0799
Letourneau, P.	Effects of the Particle Penetration Inside the Filter Medium on the HEPA Filter Pressure Drop	21-0128
Letourneau, P.	Effect of Humidity on the Filter Pressure Drop	23-0187
Leung, V. T.	Value-Impact Assessment for Resolution of Generic Safety Issue 143 - Availability of HVAC and Chilled Water Systems	23-0380
Li, J.	NAUAHYGROS - A Code for Calculating Aerosol Behavior in Nuclear Power Plant Containments Following a Severe Accident	23-0520
Lifshutz, N.	A General Correlation of MPPS Penetration as a Function of Face Velocity with the Model 8140 Using the Certitest 8160	24-0698
Linck, A.	Technical Scale Iodine Expulsion from the Dissolver Solution and Balance Striking for Liquid and Gaseous Iodine Fractions	21-0247
Linek, A.	Iodine Stripping from Nitric Solutions in IATEMA	22-0091
Long, S. W.	The Incineration of Low Level Radioactive Wastes - Current Status	21-0488
Long, T. A.	Predicting Mass Loading as a Function of Pressure Difference Across Prefilter/HEPA Filter Systems	22-0554
Lopez, M. C.	Impacts of the Filter Clogging on the Behaviour of a Ventilation Network in the Event of Fire	21-0815
Lopez, R.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Lopez, R.	High Efficiency Steel Filters for Nuclear Air Cleaning	21-0733
Lopez, R.	Preliminary Field Evaluation of High Efficiency Steel Filters	23-0195
Lopez, R.	Degradation of HEPA Filters Exposed to DMSO	23-0695
Loughborough, D.	Development of the Quickmix Injector for In-Situ Filter Testing	22-0163
Loughborough, D.	Development of Filter Systems - Part 2, Injection Systems and Multi-Point Sampler Evaluation	21-0139
Loughborough, D.	The Dust Holding Capacity of HEPA Filters	21-0155
Loughborough, D.	The Effect of Media Area on the Dust Holding Capacity of Deep Pleat HEPA Filters	24-0743
Lowenhielm, G.	Impact of the Filtered Venting System Design Upon the Total Radioactive Release in Case of a Severe Accident and a Comparison of European Requirements	21-0933
Lucas, M.	The Phebus FP Integral Source Term Experimental Project with Emphasis on Iodine Selective Filtering	22-0464
Lux, I.	Kinetic Modelling of the Purging of Activated Carbon After Short Term Methyl Iodide Loading	21-0662
Lyons, J.	Charcoal Filter Testing	24-0395
MacFarlane, R.	Photochemical Removal of Radioactive Iodine from Air	21-0376
Mai, R.	Steps Towards the Minimization of Particulate Emissions From a Low-Level Waste Incineration Facility	21-0510
Malstorm, R. A.	Factors Affecting the Retention of Methyl Iodide by Iodide-Impregnated Carbon	21-0583
Marler, J. E.	Value-Impact Assessment for Resolution of Generic Safety Issue 143 - Availability of HVAC and Chilled Water Systems	23-0380
Marshall, M.	A New Method for In-Situ Filter Testing Using Pulses of Aerosol and Photometric Detection with Computer Control	22-0154
Massacurati, V.	Simulated Performances of a Single Particle Laser Light Scattering Analyzer	21-0173
Matsumoto, M.	Experimental Study on Aerosol Removal Effect by Pool Scrubbing	22-0453
Matsumoto, M.	Experimental Study on Aerosol Removal Efficiency for Pool Scrubbing Under High Temperature Steam Atmosphere	21-0918

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
McFarland, A. R.	Performance Characterization of a New CAM System	22-0299
McFarland, A. R.	Aerosol Particle Losses in Sampling Systems	22-0310
McFarland, A. R.	Continuous Air Monitor for Alpha-Emitting Aerosol Particles	21-0859
McFarland, A. R.	Single Point Aerosol Sampling: Evaluation of Mixing and Probe Performance in a Nuclear Stack	23-0217
McFarland, A. R.	Aerosol Deposition In Bends with Turbulent Flow	24-0441
McIntyre, J. A.	Review of Department of Energy HEPA Filter Test Activities FY 1990 - FY 1992	22-0177
McIntyre, J. A.	Review of Department of Energy Filter Test Facility and Filter Test Facility Technical Support Group Activities FY 1986 - FY 1989	21-0385
Mercado, M. G.	Numerical Analysis of a Natural Convection Cooling System for Radioactive Canisters Storage	23-0128
Mercier, J. P.	Behavior of Ruthenium in the Case of Shutdown of the Cooling System of HLLW Storage Tanks	21-0831
Miaoxianz, Yang	New Type Adsorbent Material of Impregnated Activated Carbon Fibers for Iodine Filter	21-0545
Michael, P. A.	A Real-Time Stack Radioactivity Monitoring System and Dose Projection Program	23-0259
Milatovic, Z.	Application of High-Efficiency Metal Fiber Filters in Ventilation Systems of Non-Reactor Nuclear Facilities	22-0574
Miller, D. H.	Measurement of Cesium Emissions During the Vitrification of Simulated High Level Radioactive Waste	22-0253
Miller, W. C.	Chronic Inhalation Studies of Man-Made Vitreous Fibers	22-0191
Miller, W. W.	The Development and Design of the Off-Gas Treatment System for the Thermal Oxide Reprocessing Plant (THORP) at Sellafield	23-0333
Miller, Jr., W. H.	Code on Nuclear Air and Gas Treatment ASME/ANSI AG-1	22-0485
Miller, Jr., W. H.	Introductory Statement	21-0186
Milliner, W. V.	Constant Depression Fan System: A Novel Glovebox Ventilation System	23-0404
Minns, J. L.	Disposal of Slightly Contaminated Radioactive Wastes from Nuclear Power Plants	23-0138

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Miyata, K.	Experimental Study on Aerosol Removal Effect by Pool Scrubbing	22-0453
Miyazaki, Y.	Development of Computer Design System for HVAC System	22-0781
Mock, H.	Behavior of the Loaded Polygonal HEPA Filter Exposed to Water Droplets Carried by the Off-Gas Flow	22-0534
Moeller, D. W.	Air Cleaning Technologies for the Management and Disposal of Radioactive Wastes	21-0028
Moeller, D. W.	The Incineration of Low Level Radioactive Wastes - Current Status	21-0488
Moeller, D. W.	Application of Innovative Policies for Controlling Radionuclide Releases: The "Open-Market Trading Rule"	24-0040
Mokler, B. V.	A Single Standard for In-Place Testing of DOE HEPA Filters	23-0096
Mokler, B. V.	Review of In-Place HEPA Filter Testing at Several DOE Facilities	23-0766
Mokler, B. V.	Uncertainty In-Place Filter Test Results	24-0676
Monroe, D.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
Monson, P. R.	Predicting Mass Loading as a Function of Pressure Difference Across Prefilter/HEPA Filter Systems	22-0554
Moore, P.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
Moore, P.	Survey of Life-Cycle Costs of Glass-Paper HEPA Filters	22-0849
Mori, A.	Activated Charcoal Beds for Passive Mitigation of the Radioactivity Release from Severe Accidents. Heat Transport and Dynamic Noble-Gas Water-Vapour Coadsorption	22-0428
Morris, D.	Development of Filter Systems - Part 2, Injection Systems and Multi-Point Sampler Evaluation	21-0139
Motoi, V.	Minimizing of Iodine-129 Release in the Karlsruhe Reprocessing Plant WAK	22-0075
Motoi, V.	Retention and Measurement of Iodine-129 and of Organoiodine in the Off-Gas Streams of the Karlsruhe Reprocessing Plant WAK	21-0222
Motoi, V.	Iodine-129 Distribution and Retention During Evaporation of MWL Solutions	21-0234
Mulcey, P.	Nuclear Air Cleaning Programs in Progress in France	21-0978

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Mulcey, Ph.	Real-Time Detection of a Fluorescent Aerosol Application to the Efficiency Measurements of HEPA Filters	21-0095
Mulcey, Ph.	Aerosol Penetration Inside HEPA Filtration Media	21-0799
Muyshondt, A.	Single Point Aerosol Sampling: Evaluation of Mixing and Probe Performance in a Nuclear Stack	23-0217
Muyshondt, A.	Aerosol Deposition In Bends with Turbulent Flow	24-0441
Naito, M.	Experimental Study on Aerosol Removal Effect by Pool Scrubbing	22-0453
Neitzel, H. -J.	Concept for a Passive Heat Removal and Filtration System Under Core Meltdown Conditions	22-0863
Nelson, D. C.	Performance Characterization of a New CAM System	22-0299
Nelson, D. C.	Continuous Air Monitor for Alpha-Emitting Aerosol Particles	21-0859
Nelson, G.	Development of an Air Cleaning System for Dissolving High Explosives from Nuclear War Heads	24-0089
Neri, E.	Simulated Performances of a Single Particle Laser Light Scattering Analyzer	21-0173
Nesbitt, L. B.	AG-1 Division IV, Section TB: Field Testing of Gas Processing Systems	21-0198
Neuberger, M.	Challenges Within Ventilation Systems During Accident Situations	22-0510
Novick, V. J.	Predicting Mass Loading as a Function of Pressure Difference Across Prefilter/HEPA Filter Systems	22-0554
Novick, V. J.	Efficiency and Mass Loading Characteristics of a Typical HEPA Filter Media Material	21-0782
O'Connor, M.	AP600 Containment Purge Radiological Analysis	23-0454
Ohnuki, M.	A Study on the Expulsion of Iodine from Spent-Fuel Solutions	23-0321
Olson, P.	Comments on Testing of Non-N509 Filter Systems - Audit Experiences at McGuire Nuclear Station	21-0332
Omoto, K.	Design and Characteristics of Annulus Ventilation and HVAC System for Prototype FBR MONJU	22-0791
Ortiz, C. A.	Performance Characterization of a New CAM System	22-0299
Ortiz, C. A.	Aerosol Particle Losses in Sampling Systems	22-0310

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Ortiz, C. A.	Continuous Air Monitor for Alpha-Emitting Aerosol Particles	21-0859
Ortiz, C. A.	Single Point Aerosol Sampling: Evaluation of Mixing and Probe Performance in a Nuclear Stack	23-0217
Otermat, J. E.	A View of Licensee Event Reports - Relating to Nuclear Air Treatment Systems and Heating, Ventilating, Air Conditioning Systems, Filed During the Period 1988-1991	22-0899
Otermat, J. E.	Residence Time Determination for Adsorbent Beds of Different Configurations	23-0308
Pachernegg, S.	A Thick Homogeneous Vegetated Cover Design Proves Cost- and Schedule-Effective for the Reclamation of Uranium Mill Sites near Spokane, Washington	24-0118
Parker, K.	Experience with Ontario Hydro's In Place Carbon Filter Testing	22-0672
Parker, R. C.	A New Method for In-Situ Filter Testing Using Pulses of Aerosol and Photometric Detection with Computer Control	22-0154
Paschal, W. B.	Codes in Use	22-0493
Pasler, H.	Beta Experiments on Aerosol Release During Melt-Concrete Interaction and Filtering of the Off-Gas	22-0415
Pasler, H.	A Low Pressure Filter System for New Containment Concepts	23-0478
Paul, J.	Instrument & Controls Section (IA) Improvements	22-0490
Paul, J. D.	Effects of Filter Housing and Ductwork Configuration on Air Flow Uniformity Inside Air Cleaning Filter Housings	22-0205
Paul, J. D.	ASME N510 Test Results for Savannah River Site AACS Filter Compartments	23-0068
Paul, J. D.	Testing Cleanable/Reusable HEPA Prefilters for Mixed Waste Incinerator Air Pollution Control Systems	24-0076
Pearson, J. R.	Replacement Tracer Agent for the In-Place Leak Testing of Adsorbers in NATS	22-0698
Peirano, J. L.	Calculation Code Evaluating the Confinement of a Nuclear Facility in Case of Fires	23-0412
Perrin, G.	Calculation Code Evaluating the Confinement of a Nuclear Facility in Case of Fires	23-0412
Pest, M. E.	Section TA Acceptance Testing, Draft Revision 03/06/96	24-0203

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Pest, M. E.	ASME N511-19xx, Standard for Periodic In-Service Testing of Nuclear Air Treatment, Heating, Ventilation and Air Conditioning Systems, Draft Revision	24-0264
Peterson, D.	BARCT: A Conservative Approach to Regulating Radionuclide Emissions	22-0233
Phan, H. K.	Value-Impact Assessment for Resolution of Generic Safety Issue 143 - Availability of HVAC and Chilled Water Systems	23-0380
Philippe, M.	Behavior of Ruthenium in the Case of Shutdown of the Cooling System of HLLW Storage Tanks	21-0831
Philippi, H. M.	Variable Pattern Contamination Control Under Positive Pressure	24-0428
Pierce, M. E.	A General Correlation of MPPS Penetration as a Function of Face Velocity with the Model 8140 Using the Certitest 8160	24-0698
Platini, M.	Simulated Performances of a Single Particle Laser Light Scattering Analyzer	21-0173
Pleva, J. M.	AG-1 Division IV, Section TB: Field Testing of Gas Processing Systems	21-0198
Plumb, G. R.	IAEA Decadal Activities in the Field of Radioactive Gaseous Waste Management	21-0635
Porco, R.	Filter Sections of ASME AG-1, Code on Nuclear Air and Gas Treatment	22-0491
Porco, R.	International Panel Reports on Nuclear Air and Gas Cleaning Activities from Around the World	24-0380
Porco, R. D.	Application of ASME Code AG-1 to YGN 3 & 4 Plants, South Korea	22-0223
Porco, R. D.	Testing of Non-ANSI/ASME N509 Systems to ANSI/ASME N510 Requirements	21-0327
Porco, R. D.	Panel Session: Changes to ASME Code AG-1, Section FC, HEPA Filters	24-0850
Potgeter, G.	Behavior of the Loaded Polygonal HEPA Filter Exposed to Water Droplets Carried by the Off-Gas Flow	22-0534
Potgeter, G.	Behavior of the Polygonal HEPA Filter Exposed to Water Droplets Carried by the Offgas Flow	21-0772
Pourprix, M.	Impacts of the Filter Clogging on the Behaviour of a Ventilation Network in the Event of Fire	21-0815

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Pouyat, D.	Dissolution Off-Gas Characterization at the Marcoule Pilot Facility: Iodine Trapping and Off-Gas Characterization Unit	22-0053
Prevost, C.	Calculation Code Evaluating the Confinement of a Nuclear Facility in Case of Fires	23-0412
Prevost, C.	Development of Real Time Detector for Fluorescent Particles	24-0163
Printz, R. J.	Development of a Process for Adsorptive Separation of KR-85 from the Off-Gas of Nuclear Facilities	21-0299
Punch, T. M.	ASME N510 Test Results for Savannah River Site AACS Filter Compartments	23-0068
Pybot, P.	Real-Time Detection of a Fluorescent Aerosol Application to the Efficiency Measurements of HEPA Filters	21-0095
Qi-dong, Li	New Type Adsorbent Material of Impregnated Activated Carbon Fibers for Iodine Filter	21-0545
Qu, J.	An Introduction to the Design, Commissioning, and Operation of Nuclear Air Cleaning Systems for Qinshan Nuclear Power Plant	23-0439
Raboin, S.	Calculation Code Evaluating the Confinement of a Nuclear Facility in Case of Fires	23-0412
Rahimi, R. S.	Validation Testing of Radioactive Waste Drum Filter Vents	24-0683
Rainer, F.	Preliminary Studies to Determine the Shelf Life of HEPA Filters	23-0613
Ramsdell, Jr., J. V.	Alternatives to Current Procedures Used to Estimate Concentrations in Building Wakes	21-0714
Rapchun, D.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
Remick, F. J.	Changing Winds in NRC's Regulatory Environment	21-0343
Renaudin, V.	Effects of the Particle Penetration Inside the Filter Medium on the HEPA Filter Pressure Drop	21-0128
Rice, P. D.	Radioactive Waste Tank Ventilation System Incorporating Tritium Control	24-0051
Richardson, W. B.	Efficiency and Mass Loading Characteristics of a Typical HEPA Filter Media Material	21-0782
Ricketts, C. I.	Mathematical Models for Changes in HEPA Filter Pressure Drop Caused by High Air Humidity	21-0671

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Ricketts, C. I.	The Case for Improved HEPA-Filter Mechanical Performance Standards Revisted	24-0829
Riley, J.	A Thick Homogeneous Vegetated Cover Design Proves Cost- and Schedule-Effective for the Reclamation of Uranium Mill Sites near Spokane, Washington	24-0118
Ringel, H. D.	Development of a Process for Adsorptive Separation of KR-85 from the Off-Gas of Nuclear Facilities	21-0299
Roberson, P. W.	Testing of Non-N509 Filter Systems - Audit Experiences at McGuire Nuclear Station	21-0329
Roberson, P. W.	Effects of Welding Fumes on Nuclear Air Cleaning System Carbon Adsorber Banks	24-0525
Robertson, G.	A Thick Homogeneous Vegetated Cover Design Proves Cost- and Schedule-Effective for the Reclamation of Uranium Mill Sites near Spokane, Washington	24-0118
Roblot, D.	Study on Collecting Efficiency of Fission Products by Spray: Experimental Device and Modelling	24-0500
Rodgers, J. C.	Performance Characterization of a New CAM System	22-0299
Rodgers, J. C.	Continuous Air Monitor for Alpha-Emitting Aerosol Particles	21-0859
Rodgers, J. C.	Single Point Aerosol Sampling: Evaluation of Mixing and Probe Performance in a Nuclear Stack	23-0217
Rogers, K. C.	Clean Air and Clear Responsibility	23-0658
Rossi, G.	Activated Charcoal Beds for Passive Mitigation of the Radioactivity Release from Severe Accidents. Heat Transport and Dynamic Noble-Gas Water-Vapour Coadsorption	22-0428
Roustan, M.	Elimination of Iodine from Radioactive Gaseous Effluents in a Packed Column	21-0259
Roux, J. P.	Dissolution Off-Gas Characterization at the Marcoule Pilot Facility: Iodine Trapping and Off-Gas Characterization Unit	22-0053
Rown, R.	Panel Session: Changes to ASME Code AG-1, Section FC, HEPA Filters	24-0850
Rudnick, S. N.	Characteristics of Laskin Nozzle Generated Aerosols	21-0116
Sakurai, T.	A Study on the Expulsion of Iodine from Spent-Fuel Solutions	23-0321

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Sakurai, T.	Behavior of Iodine in the Dissolution of Spent Nuclear Fuels	24-0550
Savornin, J.	Impacts of the Filter Clogging on the Behaviour of a Ventilation Network in the Event of Fire	21-0815
Schneider, M.	Mathematical Models for Changes in HEPA Filter Pressure Drop Caused by High Air Humidity	21-0671
Scholten, L. C.	Effect of Filtering at Containment Venting on the Consequences for the Environment	22-0753
Scholten, L. C.	The Dutch Nuclear Programs	21-0968
Schultheis, T. M.	Investigation of Salt Loaded HEPA Filters	21-0366
Schulthesis, T. M.	Structural Testing of Salt Loaded HEPA Filters for WIPP	22-0262
Schulz, J.	AP600 Containment Purge Radiological Analysis	23-0454
Schwartz, B. C.	Revised Accident Source Terms and Control Room Habitability	22-0742
Scripsick, R. C.	Review of In-Place HEPA Filter Testing at Several DOE Facilities	23-0766
Scripsick, R. C.	A Review of DOE HEPA Filter Component Test Activities: FY-1994	24-0631
Scripsick, R. C.	Uncertainty In-Place Filter Test Results	24-0676
Seigneur, A.	Development of Real Time Detector for Fluorescent Particles	24-0163
Sevigny, G. J.	LFCM Processing Characteristics of Mercury	21-0442
Sgalambro, G.	Activated Charcoal Beds for Passive Mitigation of the Radioactivity Release from Severe Accidents. Heat Transport and Dynamic Noble-Gas Water-Vapour Coadsorption	22-0428
Shaffer, L. L.	Practical Experience Applied to the Design of Injection and Sample Manifolds to Perform In-Place Surveillance Tests According to ANSI/ASME N-510	24-0132
Sher, R.	NAUAHYGROS - A Code for Calculating Aerosol Behavior in Nuclear Power Plant Containments Following a Severe Accident	23-0520
Sherwood, G. L.	HEPA Filter Testing - Department of Energy Office of Nuclear Energy Facilities	23-0087
Shi, M.	An Introduction to the Design, Commissioning, and Operation of Nuclear Air Cleaning Systems for Qinshan Nuclear Power Plant	23-0439
Shiomi, T.	Design and Characteristics of Annulus Ventilation and HVAC System for Prototype FBR MONJU	22-0791

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Shirato, K.	Experimental Study on the Volatile Ruthenium Decontamination Factor of the Perforated Plate Column Scrubber	22-0244
Shunqing, Yuam	New Type Adsorbent Material of Impregnated Activated Carbon Fibers for Iodine Filter	21-0545
Simon, K.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
Simon, K.	Preliminary Field Evaluation of High Efficiency Steel Filters	23-0195
Simonson, S. A.	Generation and Release of Radioactive Gases in LLW Disposal Facilities	23-0115
Slawski, J.	Standardized Methods for In-Place Filter Testing	24-0386
Slawski, J.	Panel Session: Changes to ASME Code AG-1, Section FC, HEPA Filters	24-0850
Slawski, J.	International Panel Reports on Nuclear Air and Gas Cleaning Activities from Around the World	24-0380
Slawski, J. W.	A Review of DOE HEPA Filter Component Test Activities: FY-1994	24-0631
Slawski, J. W.	In-Place HEPA Filter Efficiency Tests	24-0649
Slawski, J. W.	Potential for HEPA Filter Damage from Water Spray Systems in Filter Plenums	24-0752
Smith, P. R.	Structural Testing of Salt Loaded HEPA Filters for WIPP	22-0262
Smith, P. R.	Investigation of Salt Loaded HEPA Filters	21-0366
Smith, P. R.	Pool Fires in a Large Scale Ventilation System	21-0844
Smith, P. R.	The Case for Improved HEPA-Filter Mechanical Performance Standards Revisited	24-0829
Soffer, L.	Revision of Reactor Accident Source Terms and Implications for Nuclear Air Cleaning Requirements	22-0362
Soffer, L.	Introductory Remarks	22-0731a
Soffer, L.	Revised Accident Source Terms for Light-Water Reactors	23-0488
Sommer, R.	A View of Licensee Event Reports - Relating to Nuclear Air Treatment Systems and Heating, Ventilating, Air Conditioning Systems, Filed During the Period 1988-1991	22-0899
Sommer, R. R.	Halide Test Agent Replacement Study	23-0313

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Sonoda, T.	Optimization of Air Ducts for Nuclear Reactor Power Generation Station	21-0695
Sprung, J. L.	Radiological Health Effects Models for Nuclear Power Plant Accident Consequence Analysis -- An Update (1990)	21-0057
Staggess, K.	Development of an Air Cleaning System for Dissolving High Explosives from Nuclear War Heads	24-0089
Stoffel, D.	A Thick Homogeneous Vegetated Cover Design Proves Cost- and Schedule-Effective for the Reclamation of Uranium Mill Sites near Spokane, Washington	24-0118
Strom, L. H.	Testing the Sampling Efficiency of a Nuclear Power Station Stack Monitor	24-0181
Sugimoto, Y.	Removal of Iodine-129 from Dissolver Off-Gas of Reprocessing Plant by Silver Impregnated Adsorbents	22-0118
Suzuki, F.	Design and Characteristics of Annulus Ventilation and HVAC System for Prototype FBR MONJU	22-0791
Takahashi, A.	A Study on the Explosion of Iodine from Spent-Fuel Solutions	23-0321
Takahashi, A.	Behavior of Iodine in the Dissolution of Spent Nuclear Fuels	24-0550
Tan, C.	AP600 Containment Purge Radiological Analysis	23-0454
Teissier, J.	Impacts of the Filter Clogging on the Behaviour of a Ventilation Network in the Event of Fire	21-0815
Tiggemann, H.	Measurement System for Alpha and Beta Aerosols with Wide Dynamic Range and Krypton-85 Masking	21-0872
Torgerson, D. F.	Canadian Waste Management Program	21-0042
Tsal, R. J.	Post-Accident Air Leakage Analysis in a Nuclear Facility via T-Method Airflow Simulation	22-0374
Tsal, R. J.	Numerical Analysis of a Natural Convection Cooling System for Radioactive Canisters Storage	23-0128
Turley, J.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
Turner, C.	High Efficiency Steel Filters for Nuclear Air Cleaning	21-0733
Underhill, D. W.	A Simplified Test Procedure for Determining the Effectiveness of Adsorbents for the Removal of Methyl Iodide	22-0637

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Vahla, G.	High Efficiency Steel Filters for Nuclear Air Cleaning	21-0733
Valha, G.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
van der Steen, J.	Effect of Filtering at Containment Venting on the Consequences for the Environment	22-0753
Van Rensbergen, J. B.	Global Change and the Practice for Airborne Waste Treatment	22-0004
van Schoor, A.	Minimizing of Iodine-129 Release in the Karlsruhe Reprocessing Plant WAK	22-0075
van Schoor, A.	Retention and Measurement of Iodine-129 and of Organoiodine in the Off-Gas Streams of the Karlsruhe Reprocessing Plant WAK	21-0222
van Schoor, A.	Control of Radio-Iodine at the German Reprocessing Plant Wak During Operation and After Shut Down	24-0618
van Wonderen, E. L. M.	Effect of Filtering at Containment Venting on the Consequences for the Environment	22-0753
Vance, R. F.	The Integrated Melter Off-Gas Treatment Systems at the West Valley Demonstration Project	23-0016
Vanpelt, H. E.	A Utility Perspective on New Source Terms	22-0732
Vendel, J.	Real-Time Detection of a Fluorescent Aerosol Application to the Efficiency Measurements of HEPA Filters	21-0095
Vendel, J.	Aerosol Penetration Inside HEPA Filtration Media	21-0799
Vendel, J.	Effects of the Particle Penetration Inside the Filter Medium on the HEPA Filter Pressure Drop	21-0128
Vendel, J.	Effect of Humidity on the Filter Pressure Drop	23-0187
Vendel, J.	Calculation Code Evaluating the Confinement of a Nuclear Facility in Case of Fires	23-0412
Vendel, J.	Experimental Study on the Particles Deposition in the Sampling Duct	23-0539
Vendel, J.	Experimental Study of Elementary Collection Efficiency of Aerosols by Spray: Design of the Experimental Device	23-0682
Vendel, J.	Development of Real Time Detector for Fluorescent Particles	24-0163
Vendel, J.	Study on Collecting Efficiency of Fission Products by Spray: Experimental Device and Modelling	24-0500

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Vignau, B.	Elimination of Iodine from Radioactive Gaseous Effluents in a Packed Column	21-0259
Vignau, B.	Dissolution Off-Gas Characterization at the Marcoule Pilot Facility: Iodine Trapping and Off-Gas Characterization Unit	22-0053
Vikis, A. C.	Photochemical Removal of Radioactive Iodine from Air	21-0376
Violet, C.	High Efficiency Steel Filters for Nuclear Air Cleaning	21-0733
Vo, T. V.	Value-Impact Assessment for Resolution of Generic Safety Issue 143 - Availability of HVAC and Chilled Water Systems	23-0380
Vogan, T. J.	Overview of Divisions I and II	21-0189
Vujisic, L.	Modern Technology Tools for Improvement of NPP Reliability-Case Study of NPP Filtration Systems Validation	22-0808
Wagoner, J. D.	Progress and Challenges in Cleaning Up Hanford	24-0335
Wainhouse, L.	A Thick Homogeneous Vegetated Cover Design Proves Cost- and Schedule-Effective for the Reclamation of Uranium Mill Sites near Spokane, Washington	24-0118
Walker, B. A.	The Influence of Salt Aerosol on Alpha Radiation Detection by WIPP Continuous Air Monitors	24-0188
Walker, B. W.	Testing Cleanable/Reusable HEPA Prefilters for Mixed Waste Incinerator Air Pollution Control Systems	24-0076
Walls, J. R.	Structural Testing of Salt Loaded HEPA Filters for WIPP	22-0262
Walls, J. R.	Investigation of Salt Loaded HEPA Filters	21-0366
Wapman, D.	Development of an Air Cleaning System for Dissolving High Explosives from Nuclear War Heads	24-0089
Watson, J. H. P.	A Permanently Magnetized High Gradient Magnetic Filter for Glove-Box Cleaning and Increasing HEPA Filter Life	21-0762
Watson, J. H. P.	A Novel Permanently Magnetized High Gradient Magnetic Filter Using Assisted Capture for Fine Particles	23-0158
Weber, F.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
Weber, L. D.	Efficiency Test for Ultra High Efficiency Metal Air Filters	22-0882
Weber, L. D.	Technical Brief Stainless Steel Filter for Nuclear Air Cleaning	21-0424

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Weber, L. D.	Validation Testing of Radioactive Waste Drum Filter Vents	24-0683
Wehrenberg, J. A.	Heater Selection Criteria for Engineered Safety Features Atmosphere Filtration Systems	22-0820
Weidler, R.	International Panel Reports on Nuclear Air and Gas Cleaning Activities from Around the World	24-0380
Weidler, R. R.	Design Basis Documentation for the Control Room Ventilation/Chilled Water System at McGuire Nuclear Station	21-0526
Weil, L.	Atmospheric Discharges from Nuclear Facilities during Decommissioning: German Experiences and Concepts	24-0460
Weishaupt, M.	Control of Radio-Iodine at the German Reprocessing Plant Wackersdorff During Operation and After Shut Down	24-0618
Wente, W. B.	Aerosol Deposition In Bends with Turbulent Flow	24-0441
Werkheiser, D. P.	AG-1 Division IV, Section TB: Field Testing of Gas Processing Systems	21-0198
White, B.	Pool Fires in a Large Scale Ventilation System	21-0844
Whitlock, M. B.	Efficiency Test for Ultra High Efficiency Metal Air Filters	22-0882
Wichmann, H. P.	Measurement System for Alpha and Beta Aerosols with Wide Dynamic Range and Krypton-85 Masking	21-0872
Wikoff, W. O.	Residence Time Determination for Adsorbent Beds of Different Configurations	23-0308
Wikoff, W. O.	Practical Experience Applied to the Design of Injection and Sample Manifolds to Perform In-Place Surveillance Tests According to ANSI/ASME N-510	24-0132
Wikoff, W. O.	Method for HEPA Filter Leak Scanning with Differentiating Aerosol Detector	24-0671
Wilhelm, J. G.	The Phebus FP Integral Source Term Experimental Project with Emphasis on Iodine Selective Filtering	22-0464
Wilhelm, J. G.	Challenges Within Ventilation Systems During Accident Situations	22-0510
Wilhelm, J. G.	The Application of HEPA Filter Units in Gas Streams of High Dust Concentrations	22-0540
Wilhelm, J. G.	Concept for a Passive Heat Removal and Filtration System Under Core Meltdown Conditions	22-0863

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Wilhelm, J. G.	Steps Towards the Minimization of Particulate Emissions From a Low-Level Waste Incineration Facility	21-0510
Wilhelm, J. G.	Mathematical Models for Changes in HEPA Filter Pressure Drop Caused by High Air Humidity	21-0671
Wilhelm, J. G.	Investigtions into the Design of a Filter System for PWR Containment Venting	21-0898
Wilhelm, J. G.	Nuclear Air Cleaning Activities in Germany	21-0981
Wilhelm, J. G.	International Panel Reports on Nuclear Air and Gas Cleaning Activities from Around the World	24-0380
Williams, J. E.	Ventilation System Design for Control of Radioactive Airborne Particulates During the Decontamination and Dismantlement (D&D) of the Plant One Ore Silos	23-0784
Williams, K.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
Williams, K.	High Efficiency Steel Filters for Nuclear Air Cleaning	21-0733
Willis, C. A.	Severe Accident Issues for Advanced Reactors	22-0034
Willis, C. A.	Air Cleaning Requirements for Evolutionary and Advanced Reactors	21-0016
Wilson, K.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
Wilson, K.	Preliminary Field Evaluation of High Efficiency Steel Filters	23-0195
Wilson, K.	Performance of HEPA Filters at LLNL Following the 1980 and 1989 Earthquakes	23-0425
Wilson, K.	Degradation of HEPA Filters Exposed to DMSO	23-0695
Wilson, K.	Development of an Air Cleaning System for Dissolving High Explosives from Nuclear War Heads	24-0089
Wilson, K.	In-Place HEPA Filter Efficiency Tests	24-0649
Wilson, K.	Further Development of the Cleanable Steel HEPA Filter and Comparison with Competing Technologies	24-0708
Wilson, P.	Development and Evaluation of a Cleanable High Efficiency Steel Filter	22-0586
Winegardner, W. K.	Filter-Adsorber Aging Assessment	23-0553

24th DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCE

21-24 DOE/NRC NUCLEAR AIR CLEANING AND TREATMENT CONFERENCES
INDEX OF PAPERS BY AUTHOR

Author	Title	Conference No. - Page
Wong, A.	Testing Cleanable/Reusable HEPA Prefilters for Mixed Waste Incinerator Air Pollution Control Systems	24-0076
Wong, F. S.	Aerosol Particle Losses in Sampling Systems	22-0310
Wood, G. O.	Single Point Aerosol Sampling: Evaluation of Mixing and Probe Performance in a Nuclear Stack	23-0217
Wright, S. W.	Extended-Life Nuclear Air Cleaning Filters Via Dynamic Exclusion Prefilters	24-0788
Xiaochun, Gu	New Type Adsorbent Material of Impregnated Activated Carbon Fibers for Iodine Filter	21-0545
Yafang, Pang	New Type Adsorbent Material of Impregnated Activated Carbon Fibers for Iodine Filter	21-0545
Yamashita, M.	Experimental Study on Aerosol Removal Efficiency for Pool Scrubbing Under High Temperature Steam Atmosphere	21-0918
Yan, X.	Characteristics of Laskin Nozzle Generated Aerosols	21-0116
Yang, L.	An Introduction to the Design, Commissioning, and Operation of Nuclear Air Cleaning Systems for Qinshan Nuclear Power Plant	23-0439
Yim, M. S.	Generation and Release of Radioactive Gases in LLW Disposal Facilities	23-0115
York, J. D.	Application of ASME Code AG-1 to YGN 3 & 4 Plants, South Korea	22-0223
Yoshino, H.	Optimization of Air Ducts for Nuclear Reactor Power Generation Station	21-0695
Yotsuya, M.	Development of Computer Design System for HVAC System	22-0781
Zamecnik, J. R.	Measurement of Cesium Emissions During the Vitrification of Simulated High Level Radioactive Waste	22-0253
Zexiang, Liu	New Type Adsorbent Material of Impregnated Activated Carbon Fibers for Iodine Filter	21-0545
Zeyen, R.	The Phebus FP Integral Source Term Experimental Project with Emphasis on Iodine Selective Filtering	22-0464
Ziemer, P. L.	Department of Energy Directions in Environment, Safety, and Health	21-0005